

Mega Pixel 2.8~12mm Vari-Focal Lens



3M Pixel • f2.8~12mm Varifocal Built-in ND filter • CS Mount Type Telephoto Long Focal • Wide Angle

FEATURES

- High image-quality monitoring with optical performance supporting 3 megapixels.
- Wide f2.8 ~ 12mm range accommodates various applications.
- Designed to maximize optical performance with high-accuracy aspheric lens, low-dispersion glass, and

Mega Pixel 2.8~12mm Vari-Focal Lens

high refractive-index glass.

- Built-in ND filter of T360, supporting high sensitivity cameras.

SPECIFICATIONS

Focal Length (mm)		2.8 ~ 12(4.3×)	
Iris Range		F1.4 ~ T360(Equivalent to F360)	
Operation	Zoom		Manual
	Focus		Manual
	Iris		Auto(DC Type)(*1)
Angle Of View (H×V)	1/3"	WIDE	100°02' × 74°03'
		TELE	23°26' × 17°36'
	1/4"	WIDE	74°03' × 55°06'
		TELE	17°36' × 13°13'
Focusing Range (From Front Of The Lens)(m)		∞ ~ 0.3	
Object Dimensions at M.O.D. (H×V)(mm)	1/3"	WIDE	753 × 476
		TELE	131 × 98
	1/4"	WIDE	476 × 329
		TELE	98 × 73
Back Focal Distance(in air)(mm)		7.83	
Exit Pupil Position (From Image Plane)(mm)		455	
Filter Thread (mm)		-	
Mount		CS	
Mass (g)		80	
Coil Resistance		Drive Coil 190Ω Damping Coil 500Ω	
Current Consumption		23mA(Max.) at DV 4V	
Remarks		·With Metal Mount (*1)When power is turned off, iris will automatically close. YV4.3 × 2.8SA-SA2L : Long Cable Type (230mm)	

Mega Pixel 2.8~12mm Vari-Focal Lens

DIMENSIONS

